

FIG. 1




FIG. 2

201




FIG. 3




FIG. 4




FIG. 5




FIG. 6

| SYSTEM CONFIGURATION DATA | |
|----------------------------|--------------------------|
| SYSTEM IDENTIFIER | SYSTEM 1 |
| SYSTEM CONFIGURATION | PERFORMANCE VALUE |
| NUMBER OF CPUS | 2 |
| CPU PROCESSING PERFORMANCE | 12000 (MIPS) |
| MAIN MEMORY CAPACITY | 10 (G bytes) |
| I/O PROCESSING SPEED | 100 (M bytes/s) |
| PAGING TIME PER PAGE | 1.0×10^{-3} (s) |

601

602

603

604

605

606

FIG. 7

| COST DATA | |
|----------------|----------------------------------|
| 701 | CPU COST DATA |
| 704 | 705 |
| 100(MIPS) | 1,000,000 |
| 200(MIPS) | 2,500,000 |
| : | : |
| 400(MIPS) | 5,000,000 |
| 702 | MAIN MEMORY UNIT COST DATA |
| 706 | 707 |
| 1000(Mbytes) | 100,000 |
| 2000(Mbytes) | 180,000 |
| : | : |
| 16,000(Mbytes) | 1,400,000 |
| 703 | AUXILIARY STORAGE UNIT COST DATA |
| 708 | 709 |
| 80(Mbytes/s) | 100,000 |
| 100(Mbytes/s) | 110,000 |
| : | : |
| 150(Mbytes/s) | 130,000 |

FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20

| SUB-SYSTEM IDENTIFIER | USE/NON-USE FLAG | USE CHARGE PER UNIT TIME (ACCOUNTING AMOUNT) |
|-----------------------|------------------|--|
| 001 | ON | 0 |
| 002 | OFF | 0 |
| 003 | ON | 1,000 |
| 004 | ON | 2,000 |
| 005 | OFF | 2,500 |